

Lauren H. Redler, MD

Adult & Pediatric Sports Medicine

622 W 168th Street, PH-11 Center New York, NY 10032

> Phone: 212-305-3934 Fax: 212-305-4040 columbia or tho.org

Physical Therapy Prescription for:

label

Diagnosis: Maisonneuve Fracture

Surgical Procedure: Syndesmosis Repair with Suture (Tightrope)

Date of Surgery:

SYNDESMOSIS REPAIR PHYSICAL THERAPY PROTOCOL:

Brace: CAM Boot

Weeks 1 and 2:

- ➤ Short leg splint
- > Strict non-weight bearing and elevation

Weeks 3 and 4:

- > Strict non-weight bearing and elevation, sleep in boot
- ➤ Plantarflexion and dorsiflexion 4-5x per day out of boot
- > Towel curls with toes
- > Standing hamstring curls
- > Upper body conditioning

Weeks 5 and 6:

- > Partial weight-bearing
- ➤ Ok to start scar massage
- Start gentle inversion/eversion range of motion
- ➤ Initiate light resistance bands in all planes
- > Seated toe and heel raises

Weeks 7 and 8:

➤ Weight bearing as tolerated, wean from crutches

- May start pool therapy
- Advance graduated resistance exercises
- ➤ Advance AROM activities. May initiate AAROM/PROM as needed
- Begin proprioception/balance exercises when able to fully weight bear
- > Initiate stationary cycling out of boot

Weeks 9 to 12:

- ➤ Transition to shoe/sneaker with laceup ankle brace
- ➤ Advance proprioception exercises
- ➤ Gait training
- Continue cycling, initiate elliptical/stair climber as able

Weeks 13+:

- ➤ Ok to start a return to run program
- Continue to retrain strength, power, endurance
- > Continue proprioception
- Plyometric training and full weight lifting
- > Sport specific drills as indicated
- > Wean out of lace-up ankle brace